

Message

From: LaVigna, Gaetano [LaVigna.Gaetano@epa.gov]
Sent: 6/17/2021 4:01:47 PM
To: Richelle.wormley [Richelle.wormley@dep.nj.gov]; Meyer, Jeffrey (DEP) [Jeffrey.Meyer@dep.nj.gov]
CC: Buettner, Robert [Buettner.Robert@epa.gov]
Subject: RE: Quick call about Parkway Iron and Metal

I sent out a Teams meeting invite for 1:00.

Gaetano La Vigna, Chief
Stationary Source Compliance Section
Air Compliance Branch
U.S. EPA Region 2
290 Broadway, 21st Floor
New York, New York 10007-1866
Phone (212) 637-4069
Email LaVigna.Gaetano@epa.gov

CONFIDENTIAL: *This transmission may contain deliberative and/or enforcement confidential, attorney-client, or otherwise privileged material. Do not release under FOIA without appropriate review. If you have received this message in error, you are asked to notify the sender and to delete this message.*

From: Wormley, Richelle (DEP) <Richelle.Wormley@dep.nj.gov>
Sent: Thursday, June 17, 2021 11:45 AM
To: LaVigna, Gaetano <LaVigna.Gaetano@epa.gov>; Meyer, Jeffrey (DEP) <Jeffrey.Meyer@dep.nj.gov>
Cc: Buettner, Robert <Buettner.Robert@epa.gov>
Subject: RE: Quick call about Parkway Iron and Metal

1 – 1:30 works best for me

From: LaVigna, Gaetano <LaVigna.Gaetano@epa.gov>
Sent: Thursday, June 17, 2021 11:14 AM
To: Wormley, Richelle (DEP) <Richelle.Wormley@dep.nj.gov>; Meyer, Jeffrey (DEP) <Jeffrey.Meyer@dep.nj.gov>
Cc: Buettner, Robert <Buettner.Robert@epa.gov>
Subject: [EXTERNAL] Quick call about Parkway Iron and Metal
Importance: High

Richelle and Jeff – would you have a few minutes to briefly talk about Parkway Iron & Metal either between 1:00 – 1:30, or 2:00 – 3:00? We probably only need about 15 minutes.

Gaetano La Vigna, Chief
Stationary Source Compliance Section
Air Compliance Branch
U.S. EPA Region 2
290 Broadway, 21st Floor
New York, New York 10007-1866
Phone (212) 637-4069
Email LaVigna.Gaetano@epa.gov

CONFIDENTIAL: *This transmission may contain deliberative and/or enforcement confidential, attorney-client, or otherwise privileged material. Do not release under FOIA without appropriate review. If you have received this message in error, you are asked to notify the sender and to delete this message.*

